

**SELF PROPELLED AERIAL PLATFORM, ARTICULATED & TELESCOPIC.
DIESEL (KUBOTA D722), FOR WORKING HEIGHTS UP TO 13.2 METERS (43.30 FEET)**


STANDARD MODEL:

- * Platform with water cooling Kubota engine
- * Electronic level
- * Steel Basket (1.4 x 0.7) m
- * Proportional controls
- * Safety pedal
- * Oscilating axle
- * 4x2 wheel drive & wheel steering
- * Hydraulic stabilizers



Management
System
ISO 9001:2008

www.tuv.com
ID 9105060482



Optional accessories

- 1 Electric outlet in basket
- 2 Charge indicator for batteries
- 3 Hour meter
- 4 Bi-energetic system 210A
- 5 Bi-energetic system 285A
- 6 Hydraulic basket rotation 150°
- 7 Rotating light
- 8 Aluminium basket 1,9m + basket load
- 9 Automatic leveling
- 10 Control weight in the basket




SELF PROPELLED AERIAL PLATFORM, ARTICULATED & TELESCOPIC. DIESEL, FOR WORKING HEIGHTS UP TO 21 METER (68.89 FEET)

STANDARD MODEL:

- * Platform with different motorizations
- * Electronic level
- * Emergency lowering from the basket
- * Steel Basket (1.8 x 0.8) m
- * Proportional controls
- * Oscilating axle
- * 4x4 wheel drive & 4 wheel steering with 3 positions
- * Basket rotation 180°
- * Load sensor in basket
- * Hourmeter
- * Hydraulic stabilizers





Optional accessories

- 1 Electric outlet in basket
- 2 Quick outlet for air and water
- 3 Rotating light
- 4 Automatic leveling

